



MATERIAL SAFETY DATA SHEET

DATE OF PREPARATION: 12MAY03
MANUFACTURER'S NAME: Valspar Corporation
MANUFACTURER'S ADDRESS: 4999 36th Street S.E.
 Grand Rapids, MI 49518
EMERGENCY (CHEM-TEL) PHONE NUMBER: 1-800-255-3924
EMERGENCY/INFORMAITON PHONE NUMBER: (616)940-2900

SECTION I: PRODUCT INFORMATION

PRODUCT NAME: Fabri-Coate QD-75
MANUFACTURER'S CODE IDENTIFICATION: 680005
PRODUCT CLASS: Fabric Protectant, 75% VOC

SECTION II: HAZARDOUS INGREDIENTS

Ingredient	CAS Number	% By Wgt.	PEL	TLV	Units	LEL	Vapor Pres. (mmHg)
Odorless mineral spirits	64742-48-9	70-80	100	100	ppm	1.0	0.5
Volatile methyl silicone	---	20-30	---	---	---	ND	ND
Silicone resin solution	---	< 5	---	---	---	ND	ND

SECTION III: PHYSICAL DATA

EVAPORATION RATE: FASTER SLOWER THAN ETHER
VAPOR DENSITY: HEAVIER LIGHTER THAN AIR
BOILING RANGE: 230°F Initial Boiling Point **C.A.R.B. VOC:** 75%
PERCENT VOLATILE: 96 **POUNDS PER GALLON:** 6.78 Typical **SPECIFIC GRAVITY:** 0.81 Typical

SECTION IV: FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY CLASS: Class II **LOWER EXPLOSIVE LIMIT:** See Section II
HMIS RATING: HEALTH **FLAMMABILITY** **REACTIVITY**
FLASHPOINT (METHOD): 125°F (TCC)
EXTINGUISHING MEDIA: Foam, dry chemical, carbon dioxide. Water is not suitable as an extinguishing media, but may be used to cool nearby containers.
UNUSUAL FIRE AND EXPLOSION HAZARDS: Pressure may develop in closed containers if overheated.
SPECIAL FIRE FIGHTING PROCEDURES: Fire fighters should wear normal protective equipment and positive pressure breathing apparatus.

SECTION V: HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE: Eye contact may cause irritation, watering, redness and blurred vision. Prolonged or repeated skin contact may cause drying, irritation, redness, dermatitis. Excessive inhalation of vapors or fumes may cause headache, dizziness, nausea. Prolonged or repeated occupational overexposure to

The data on this sheet represent typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. Valspar assumes no obligation or liability for use of this information. UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option.

solvents may cause permanent brain and nervous system damage. Intentional misuse by deliberate concentration and inhalation of contents may be harmful or fatal.

EMERGENCY FIRST AID PROCEDURES: For eye contact, flush with running water for 15 minutes, holding lid open to expose surface of eye, contact physician. For skin, remove contaminated clothing and shoes, wash with mild soap and water. If affected by vapors or spray mists, remove to fresh air at once. Apply artificial respiration if necessary, contact physician immediately. If swallowed, DO NOT INDUCE VOMITING, contact physician, poison control center, or hospital emergency room immediately. If victim is conscious, give a glassful of water or milk. Never give anything by mouth to an unconscious person.

SECTION VI: REACTIVITY DATA

STABILITY: UNSTABLE STABLE
CONDITIONS TO AVOID: Exposure to high heat, sparks, open flame, or other sources of ignition.
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers like chlorine.
HAZARDOUS DECOMPOSITION PRODUCTS: Fumes, smoke, other unknown organic oxides are possible.
HAZARDOUS POLYMERIZATION: MAY OCCUR WILL NOT OCCUR

SECTION VII: SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED OR RELEASED: Remove ignition sources. Dike and take up with absorbent material. Ensure with adequate ventilation, avoid build up of vapors.
WASTE DISPOSAL METHOD: Dispose of in accordance with all applicable state, local, and federal regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: None required in normal use.
VENTILATION: Control airborne concentrations below exposure guidelines. Local exhaust ventilation may be necessary.
PROTECTIVE GLOVES: Use chemical resistant gloves when necessary to protect from personal exposure.
EYE PROTECTION: Face shield or safety glasses are recommended.
OTHER PROTECTIVE EQUIPMENT: Other protective clothing should be used as necessary to protect from personal exposure. Ground all containers when transferring material.

SECTION IX: SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep containers closed when not in use. Do not use or store near open flame, sources of ignition, or strong oxidizers.
OTHER PRECAUTIONS: Avoid breathing vapors or spray mists. Avoid prolonged or repeated personal contact. Wash thoroughly after use.

DOT INFORMATION

UN Number:	UN1993
Classification:	3
Proper Shipping Name:	Flammable liquids, n.o.s. (Mineral Spirits)
Packing Group:	III
Exceptions:	49CFR §173.150(f) allows reclassification as a combustible liquid, which

The data on this sheet represent typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. Valspar assumes no obligation or liability for use of this information. UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option.

is excepted from domestic ground transportation regulations in non-bulk containers.

KEEP OUT OF REACH OF CHILDREN

ABBREVIATIONS

NE Not Established
NA Not Applicable
ND Not Determined

Creation Date: 22OCT97
Revision Date: 12MAY03
Revision Number: 5.0

This space left blank for insertion into notebook

The data on this sheet represent typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. Valspar assumes no obligation or liability for use of this information. UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option.